



## GRADE 1 LEVER CYLINDRICAL LOCKSETS

### Features

- Independent lever return springs consistently return levers to horizontal position.
- Adjustable through bolts to accommodate various door preparations.
- Slabbed outside rose trim engages chassis to increase stability and durability.
- Inside and outside threaded rose liner and through bolt assembly for added strength.
- Steel reinforcing inserts in chassis protect chassis from wear and abuse.
- Stainless steel latchbolt engineered to reduce wear and increase security.
- Chassis can accommodate Schlage large format or Oak small format interchangeable core, or standard non-IC cylinder. (see illustration)
- Multiple latch backset choices available.
- Multiple finishes and lever styles available.
- Non-handed.
- Uniquely tailored masterkey systems backed by extensive industry experienced system design and support.
- 7 Year Warranty.



### Specifications:

<b>Door Thickness</b>	1 3/8" to 2" wood or metal door
<b>Backsets</b>	2 3/4" (standard), 2 3/8", 3 3/4", 5" available
<b>Latchbolts</b>	1/2" throw, UL listed, self-adjusting faceplate 3/4" throw fire door latch available
<b>Strikes</b>	ANSI (standard), T-strike and full lip strike also available
<b>Trim</b>	Solid zinc diecast levers, wrought brass roses, heavy gage inside and outside rose liners with through-bolted concealed screws
<b>IC Core</b>	Interchangeable 6 & 7 pin compatible with all other small format interchangeable core housings, or large format interchangeable core compatible with Schlage.
<b>Non-IC Plug</b>	Standard "C" keyway, compatible with Schlage
<b>Masterkeying</b>	Tailored masterkey system set-up and design. Construction cores available.
<b>Finishes</b>	605 (Bright Brass), 606 (Satin Brass), 612 (Satin Bronze), 613 (Dark Bronze), 625 (Bright Chrome) and 626 (Satin Chrome)
<b>Certification</b>	UL listed "A" label (3 hour) single swing door (4'x8') ANSI A156.2, Series 4000 Grade 1

## LEVER CYLINDRICAL LOCK FUNCTIONS

### OAK HOW TO ORDER GUIDE - Grade 1 Lever Cylindrical Locksets

<b>1CL</b>	<b>2</b>	<b>EN</b>	<b>1</b>	<b>H</b>	<b>2</b>	<b>A</b>	<b>626</b>	<b>LC</b>
------------	----------	-----------	----------	----------	----------	----------	------------	-----------

Series	Backset	Function	Core	Lever Type	Rose	Strike *	Finish	Keying
<b>1CL</b> = Grade 1 Cylindrical Lever	<b>2</b> = 2-3/8" <b>3</b> = 2-3/4" <b>4</b> = 3-3/4" <b>5</b> = 5"	<b>CL</b> = Classroom <b>EN</b> = Entrance <b>ST</b> = Storeroom <b>CR</b> = Connecting Room	<b>0</b> = None <b>1</b> = Oak Small Format IC <b>2</b> = Standard "C" Non-I/C plug <b>3</b> = Schlage Large Format IC	<b>H</b> = Hard return  <b>C</b> = Curved return  <b>S</b> = Straight	<b>2</b> = Default	<b>A</b> = ANSI* <b>T</b> = T <b>FLS</b> = Full Lip Square <b>FL4</b> = Full Lip 1/4"	<b>605</b> <b>606</b> <b>612</b> <b>613</b> <b>625</b> <b>626</b>	<b>LC</b> = Less Core  <b>KE</b> = Keyed

\*ANSI standard with Grade 1



Oak Security Group, LLC  
 8904 Bash Street, Suite K  
 Indianapolis, Indiana 46256















Toll-free: 877-OSG-LOCK  
 Phone: 317-585-9830  
 Fax: 317-585-9834

[www.OakSecurity.com](http://www.OakSecurity.com)

#### Other Available Functions:

(Extended Lead Times)  
**EX** – Exit Latch (F89)  
**HM** – Hotel/Motel  
**PT** – Patio (F77)  
**CR** – Connecting Room  
**EN** – Entrance w/ Push Button

## LEVER CYLINDRICAL LOCK FUNCTIONS

Function	Description	Operation Description
<b>SINGLE KEYED</b>		
	<b>EN (F109)</b> Entry/Office	<b>Turn button locking:</b> Pushing and turning the inside button clockwise locks the outside lever. Inside lever is always unlocked. Turning key in outside lever will retract latch. <b>Push button locking:</b> Pushing the inside button will lock outside lever. Inside lever is always unlocked. When button is pushed, turning inside lever or key in outside lever will release the button and latch.
	<b>CL (F84)</b> Classroom	Outside lever is locked or unlocked by rotating the key 360°. Inside lever is always unlocked.
	<b>DO (F90)</b> Dormitory	Outside lever is locked by key in lever or by push button on inside lever. It is unlocked by key or by rotating inside lever. When locked by pushing the button on inside lever, closing the door will unlock the outside lever. Inside lever is always unlocked.
	<b>ST (F86)</b> Store Room	Outside lever is always locked. Turning key retracts latch. Inside lever is always unlocked.
	<b>STEU</b> <b>Electrically Unlock</b>	Outside lever is always locked. Unlocked by applying electric current from EAC system. Turning key retracts latch. Inside lever is always unlocked – Request to Exit option is available.
<b>DOUBLE KEYED</b>		
	<b>CO (F80)</b> Communicating Lock	Turning key in either lever locks or unlocks its own lever independent of the other lever.
	<b>IN (F87)</b> Institutional Lock	Both levers always locked. Key in either lever retracts latch, but does not unlock lever.
	<b>CS</b> Classroom Security	Outside lever is locked and unlocked by key in outside lever. Inside lever always unlocked. Key in inside lever locks or unlocks outside lever.
	<b>SD (F91)</b> Store Door	Turning key in either side of door locks or unlocks both sides.
	<b>VE (F88)</b> Vestibule	Outside lever is locked or unlocked by key in inside lever. When outside lever is locked, key in outside lever will retract the latch. Inside lever is always unlocked.
<b>NON-KEYED</b>		
	<b>CE</b> Connecting/Exit	Inside lever is always unlocked. Outside has a blank plate.
	<b>DT</b> Single Dummy Trim	Dummy trim used on one side of door.
	<b>PA (F75)</b> Passage	Both sides always unlocked.
	<b>PR (F76)</b> Privacy	Both sides unlocked unless button on inside lever pushed. Closing door or turning emergency release in outside lever, or turning inside lever, releases button and unlocks outside lever.



Oak Security Group, LLC  
8904 Bash Street, Suite K  
Indianapolis, Indiana 46256

Toll-free: 877-OSG-LOCK  
Phone: 317-585-9830  
Fax: 317-585-9834

www.OakSecurity.com

### Other Available Functions:

(Extended Lead Times)  
**EX – Exit Latch (F89)**  
**HM – Hotel/Motel**  
**PT – Patio (F77)**  
**CR – Connecting Room**  
**EN – Entrance w/ Push Button**